Neutrino Discrepancies and Higgs Neutrino Oscillation Masses

Abstract:

A history of neutrino measurements is described as a reply to a published video by Sabine Hossenfelder from September 21st, 2021



https://youtu.be/p118YbxFtGg

The sterile neutrino can be called a Higgs neutrino, as it derives from the Goldstone boson form of the Higgs Boson also coupled to the dark matter particle here called RMP for RestMass Photon. The problem with the Majorana form of the neutrinos is that they are indeed massless as fist proposed by the Standard Model and so are in fact their own antiparticles in the massless state. They do however assume a mass value as Dirac particles when mixing with the sterile scalar Higgs neutrinos explained by Sabine Hossenfelder in the link above.

The Dirac forms for the lepton associated neutrinos can be calculated from a Grand Unification Monopole matrix. The weakons so display the bosonic nature of the original X/L bosons but allow a partitioning of the boson integral spin momentum in a sharing between the fermionic kernel and the fermionic outer ring.

The quantum geometry indicated then allows a decomposition of the weakons into leptonic generations and the Z-Boson to assume the weak interaction energy in the form of massless gluons becoming mass induced by the quantum geometric template of a scalar Higgs field as Majorana neutrinos.

The analysis then defines a maximum velocity for the electron with a corresponding quantum relative minimum mass in the form of the electron (anti)neutrino in $v_e|_{max} = (1 - 3.282806345 \times 10^{-17}) \text{ c}$ and $m(v_e) = m(v_\tau)^2 = 0.00297104794 \text{ eV}^*$ (0.002963740541 eV) respectively.

At this energy then, no coupling between the electron and its anti-neutrino would be possible and the W- weakon could not exist.

Subsequently, we shall indicate the effect of the Compton constant and of the quantum relativistic monopolar electron to calculate all of the neutrino masses from first principles in setting $m_v = m_{neutrino} = m_e.(r_{neutrino})/R_e$ and where r_v naturally applies at the limit of the electron's dynamical self-interaction as indicated, that is the electron's quantum relativistic mass approaches that of the instanton of the Quantum Big Bang qbb.

This leads to: $m_{vElectron}c^2 = m_v(v_{Tauon}^2)c^2 = m_v(v_{Muon}^2+v_{Higgs}^2)c^2$

= μ_o {Monopole GUT masses ec}² $r_{ps}/4\pi R_e^2$ and where v_{Higgs} is a scalar (anti)neutrino for the mass induction of the (anti)neutrinos in tandem with the mass induction of the scalar Higgs boson in the weak Goldstone interaction.

Details here chapter XIV: The Monopolar Quantum Relativistic Electron - An extension of the standard model and quantum field theory https://www.researchgate.net/.../357807147_Dirac's...

RESEARCHGATE.NET

(PDF) Dirac's Magnetic Monopole and the Energy Density of the Universe (PDF) Dirac's Magnetic Monopole and the Energy Density of the Universe

The Higgsian Scalar-Neutrino

The (anti)neutrinos are part of the electron mass in a decoupling process between the kernel and the rings. Neutrino mass is so not cosmologically significant and cannot be utilized in 'missing mass' models'.

We may define the kernel-scale as that of the singular spacetime-quantum unit itself, namely as the wormhole radius $r_{weyl} = r_{ps} = 10^{-22}/2\pi$ meters.

Before the decoupling between kernel and rings, the kernel-energy can be said to be strong-weakly coupled or unified to encompass the gauge-gluon of the strong interaction and the gauge-weakon of the weak interaction defined in a coupling between the leptonic Outer Ring and the Kernel and bypassing the mesonic Inner Ring.

So for matter, a W-Minus (weakon) must consist of a coupled lepton part yet linking to the strong interaction via the kernel part. If now the colour-charge of the gluon transmutes into a 'neutrino-colour-charge'; then this decoupling will not only define the mechanics for the strong-weak nuclear unification coupling; but also, the energy transformation of the gauge-colour charge into the gauge-lepton charge.

There are precisely 8 gluonic transitive energy permutation eigenstates between a 'radiativeadditive' Planck energy in W(hite)=E=hf and an 'inertial-subtractive' Einstein energy in B(lack)=E=mc², which describe the baryonic- and hyperonic 'quark-sectors' in: mc²=BBB, BBW, WBB, BWB, WBW, BWW, WWB and WWW=hf.

The permutations are cyclic and not linearly commutative. For mesons (quark-antiquark eigenstates), the permutations are BB, BW, WB, and WW in the SU(2) and SU(3) Unitary Symmetries.

So generally, we may state, that the gluon is unified with a weakon before decoupling; this decoupling 'materializing' energy in the form of mass, namely the mass of the measured 'weak-interaction-bosons' of the standard model (W⁻ for charged matter; W⁺ for charged antimatter and Z^o for neutral mass-currents say). Experiment shows that a W⁻ decays into spin-aligned electron-antineutrino or muon-antineutrino or tauon-antineutrino pairings under the conservation laws for momentum and energy.

So, using our quantum geometry, we realize, that the weakly decoupled electron must represent the Outer Ring, and just as shown in the analysis of QED (Quantum Electro-Dynamics).

Then it can be inferred, that the Electron's Anti-neutrino represents a transformed and materialized gluon via its colour charge, now decoupled from the kernel and in a way revisiting the

transformation of a bosonic ancestry for the fermionic matter structures, discussed further on in the string class transformations of the inflaton era. There exists so a natural and generic supersymmetry in the quark-lepton hierarchy and no additional supersymmetric particles are necessary.

Then the Outer Ring contracts along its magneto axis defining its asymptotic confinement and in effect 'shrinking the electron' in its inertial and charge- properties to its experimentally measured 'point-particle-size'.

Here we define this process as a mapping between the electronic wavelength $2\pi R_e$ and the wormhole perimeter $\lambda_{weyl}=2\pi r_{weyl}$.

But in this process of the 'shrinking' classical electron radius towards the gluonic kernel; the mesonic ring will be encountered and it is there, that any mass inductions should occur to differentiate a massless lepton gauge-eigenstate from that manifested by the weakon precursors.

{Note: Here the W⁻ inducing a lefthanded neutron to decay weakly into a lefthanded proton, a lefthanded electron and a righthanded antineutrino. Only lefthanded particles decay weakly in CP-parity-symmetry violation, effected by neutrino-gauge definitions from first principles}.

This then indicates a neutrino-oscillation potential at the Inner Ring-Boundary. Using our proportions and assigning any neutrino-masses m_v as part of the electron mass m_e, gives the following proportionality as the mass eigenvalue of the Tau-(Anti)Neutrino as Higgsian Mass Induction in the Weak Nuclear Interaction at the Mesonic Inner Ring Boundary within the subatomic quantum geometry utilized as the dynamic interaction space:

$m_{Higgs/Tauon} = m_e \lambda_{weyl} \cdot r_E / (2\pi r_M R_e) = 5.34587844^{-36} \text{ kg}^* \text{ or } 2.9949713 \text{ eV}^* \cdot \cdot \cdot \text{[Eq.XII-8]}$

So we have derived, from first principles, a (anti)neutrino mass eigenstate energy level of 3 eV as the appropriate energy level for any (anti)neutrino matter interaction within the subatomic dynamics of the nuclear interaction.

This confirms the Mainz, Germany Result (Neutrino 2000), as the upper limit for neutrino masses resulting from ordinary Beta-Decay and indicates the importance of the primordial beta-decay for the cosmogenesis and the isomorphic scale mappings referred to in the above.

The hypersphere intersection of the G- and F-count of the thermodynamic expansion of the massparametric universe so induces a neutrino-mass of 3 eV^* at the 2.765931439x10⁻¹⁸ meter marker.

The more precise G-F differential in terms of eigenenergy is 0.052 eV as the mass-eigenvalue for the Higgs-(Anti)neutrino, which is scalar of 0-spin and constituent of the so called Higgs Boson as the kernel-Eigenstate. This has been experimentally verified in the Super-Kamiokande (Japan) neutrino experiments published in 1998 and in subsequent neutrino experiments around the globe, say Sudbury, KamLAND, Dubna, MinibooNE and MINOS.

Recalling the Cosmic scale radii for the initial manifestation of the primordial 'Free Neutron (Beta-Minus) Decay', we rewrite the Neutrino-Mass-Induction formula:

 $r_{E} = 3.435971077x10^{14}$ meters and an E-count of $(26x65^{61}) = 1.00x10^{112}$ spacetime quanta: $m_{vHiggs-E} = m_{velectron} = m_{e}.r_{ps}{r_{E}/r_{E}}/R_{e} = 5.323079952x10^{-39}$ kg* or 0.00298219866 eV* as Weak Interaction Higgs Mass induction. But in this limiting case the supermembrane modular duality of the instanton identity $E_{ps}.e^* = 1$ applied to the Compton constant will define the limiting neutrino mass for the electron as a modular neutrino mass per displacement quantum defined in the Compton constant $m_eR_e = \alpha m_Pl_P = h\alpha/2\pi c$ and for a modulation displacement factor $\{R_e^2/r_{ps}\}$ as monopolar displacement current as mass equivalence, the Planck Length bounce displacement $x = v\alpha .l_P = e/c^2$ for finestructure unification $k_eG_o=1$ and the Action Law {Action h = ee* Charge²} via mass [m] = h/cx = hc/e = [ec] for $[i]_{monopolar} = [ec]_{monopolar}/displacement x$

$|m_{vHiggs-E} = m_{velectron}|_{mod} = m_e \cdot r_{ps} \{R_e^2/r_{ps}\}/R_e = \{\alpha h/2\pi c\}|_{mod} = 2.58070199 \times 10^{-45} \text{ kg}[m/m]^* \dots [Eq.XII-9]$

 $r_F = 3.451077503x10^{11}$ meters for the F-count of $(13x66^{56}) = 1.02x10^{103}$ spacetime quanta: $m_{vHiggs-F} = m_{vmuon} = m_e r_{ps} \{r_E/r_F\}/R_e = 5.299779196x10^{-36} \text{ kg}^*$ or 2.969144661 eV* as Weak Interaction Higgs Mass induction.

 $r_{G} = 3.39155805 \times 10^{11}$ meters for the G-count of $(67 \times 36^{65}) = 9.68 \times 10^{102}$ spacetime quanta: $m_{vHiggs-G} = m_{vtauon} = m_{e} \cdot r_{ps} \{r_{E}/r_{G}\}/R_{e} = 5.392786657 \times 10^{-36} \text{ kg}^{*}$ or $3.021251097 \text{ eV}^{*}$ as Weak Interaction Higgs Mass Induction.

The mass difference for the Muon-Tauon-(Anti)Neutrino Oscillation then defines the Mesonic Inner Ring Higgs Induction:[Eq.XII-10]

$m_{vHiggs} = m_e \cdot r_{ps} \{ r_E / r_G - r_E / r_F \} / R_e = 9.3007461 \times 10^{-38} \text{ kg}^* \text{ or } 0.05210643614 \text{ eV}^*$ as the Basic Cosmic (Anti)Neutrino Mass.

This Higgs-Neutrino-Induction is 'twinned' meaning that this energy can be related to the energy of so termed 'slow- or thermal neutrons' in a coupled energy of so twice 0.0253 eV for a thermal equilibrium at so 20° Celsius and a rms-standard-speed of so 2200 m/s from the Maxwell statistical distributions for the kinematics.

The (anti)neutrino energy at the R_E nexus for R_E = r_{ps}^{3} (26x65⁶¹) m^{*} and for $m_{vHiggs-E} = m_{velectron} = \mu_0 e^2 c^2 \cdot r_{ps} / 4\pi R_e^2 c^2 = 30e^2 \lambda_{ps} / 2\pi c R_e^2$ or μ_0 {Monopole GUT masses ec}² $r_{ps} / 4\pi R_e^2 c^2 = 2.982198661 \times 10^{-3} \text{ eV}^*$ and for:

$m_{v Electron}c^{2} = m_{v}(v_{Tauon}^{2})c^{2} = m_{v}(v_{Muon}^{2} + v_{Higgs}^{2})c^{2} = \mu_{o}\{Monopole \ GUT \ masses \ ec\}^{2}r_{ps}/4\pi R_{e}^{2} .. [Eq.XII-11]$

This can also be written as $m_{vHiggs-E}=m_{velectron}=m_{vTauon}^2$ to define the 'squared' Higgs (Anti)Neutrino eigenstate from its templated form of the quantum geometry in the Unified Field of Quantum Relativity (UFoQR).

Subsequently, the Muon (Anti)Neutrino Higgs Induction mass becomes defined in the difference between the masses of the Tau-(Anti)Neutrino and the Higgs (Anti)Neutrino.

$$\begin{split} m_{\nu Tauon} &= B^4 G^4 R^4 [0] + B^2 G^2 R^2 [-\frac{1}{2}] = B^6 G^6 R^6 [-\frac{1}{2}] = \nu (m_{\nu electron}) = \nu (0.002982) = 0.0546... eV^* \\ m_{\nu Higgs} &= B^4 G^4 R^4 [0] = m_e \lambda_{ps}.r_E \{1/r_G - 1/r_F\} / (2\pi R_e) \sim 9.301 \times 10^{-38} \text{ kg}^* \text{ or } 0.0521... eV^* \\ m_{\nu Muon} &= B^2 G^2 R^2 [-\frac{1}{2}] = \nu (m_{\nu Tauon}^2 - m_{\nu Higgs}^2) = \nu (0.00298 - 0.00271) = \nu (0.00027) = 0.0164... eV^* \\ m_{\nu Electron} &= B^2 G^2 R^2 [-\frac{1}{2}] = (m_{\nu Tauon})^2 = (0.054607...)^2 = 0.002982... eV^* \end{split}$$

This energy self-state for the Electron (Anti)Neutrino then manifests in the Higgs Mass Induction at the Mesonic Inner Ring or IR as the squared mass differential between two (anti)neutrino self-states as: $(m_{v3} + m_{v2}).(m_{v3} - m_{v2}) = m_{v3}^2 - m_{v2}^2 = 0.002981...eV^{*2}$ to reflect the 'squared' energy self-state of the scalar Higgs (Anti)Neutrino as compared to the singlet energy eigen state of the base (anti)neutrinos for the 3 leptonic families of electron-positron and the muon-antimuon and the tauon-antitauon.

The Electron-(Anti)Neutrino is massless as base-neutrino weakon eigenstate and inducted at R_E at 0.00298 eV*.

The Muon-(Anti)Neutrino is also massless as base-neutrino weakon eigenstate and inducted at the Mesonic Ring F-Boundary at 2.969 eV* with an effective Higgsian mass induction of 0.0164 eV*. All (anti)neutrinos gain mass energy however when they become decoupled from their host weakon; either a W⁻ for matter or a W⁺ for antimatter. So as constituents of the weakon gauge for the weak interaction the electron- and muon (anti)neutrinos are their own antiparticles and so manifest their Majorana qualities in the weak interaction.

Once emitted into the energy-momentum spacetime however, the monopolar nature from a selfdual GUT/IIB monopole mass [ec]_{uimd} or their energy $[ec^3=2.7x10^{16} \text{ GeV}^*]_{unifiedinmodularduality}$ manifests in their masses. The premise of the older Standard Model for a massless (anti)neutrino so remains valid for them in respect to their Majorana-coupling their lepton partners as the weakon agents in their quantum geometric templates; but is modified for 'free' (anti)neutrinos as Dirac particles. The Tauon-(Anti)Neutrino is not massless with inertial eigenstate inducted at the Mesonic Ring G-Boundary at 3.021 eV* and averaged at 3.00 eV* as v(0.05212+0.01642) = 0.0546 eV* as the square root value of the ground state of the Higgs inertia induction. The neutrino flavour mechanism, based on the Electron (Anti)Neutrino so becomes identical in the Weakon Tauon-Electron-Neutrino oscillation to the Scalar Muon-Higgs-Neutrino oscillation.

The weakon kernel-eigenstates are 'squared' or doubled (2x2=2+2) in comparison with the gluoniceigenstate (one can denote the colour charges as $(R^2G^2B^2)[\%]$ and as (RGB)[1] respectively say and with the [] bracket denoting gauge-spin and RGB meaning colours Red-Green-Blue).

The scalar Higgs-Anti(Neutrino) becomes then defined in: $(R^4G^4B^4)[0]$ and the Tauon Anti(Neutrino) in $(R^6G^6B^6)[\frac{1}{2}]$ in doubling of the singular $R^2G^2B^2$ inflexion points in the UfoQR for odd π Gravitational Interaction GI and even π Electromagnetic Interaction EMI. The GI points define BGR color charges, and the EMI points define RGB color charges for (anti)neutrino generation as a function of the 12 interwoven monopolar current loops (see diagram below).

The reason as to why no right-handed neutrinos and left-handed antineutrinos manifest in the UfoQR crystallizes in the distribution of the odd and even pi-nodes established in the base templates of the QBBS.

The Dark Matter agent of the RMP manifests in the 0° - 120° - 180° - 200° interval in the UfoQR and so includes an odd π GI monopolar current coordinate; whilst the Anti-RMP manifests in the 520° - 540° - 600° - 720° interval with 540° as $3\pi + \pi/6$ in between the odd π GI at 3π and the even π EMI at 4π .

The Anti-RMP as an Anti-Dark Matter agent is therefore suppressed in that the $B^2G^2R^2[-\frac{1}{2}]$ Majorana neutrino at 720° flipping into a $R^2G^2B^2[+\frac{1}{2}]$ Majorana Anti-neutrino at 600° but cannot then flip into a Majorana neutrino at the 540° nexus and remains as a Majorana Anti-neutrino at the 520° coordinate to suppress the manifestation of the Anti-RMP $M^2C^2Y^2[+1]$ as the spin induced form of the scalar Anti-Higgs Boson or Anti-HB $M^2C^2Y^2[0]$.

The right-handed $R^2G^2B^2[+\frac{1}{2}]$ Majorana Antineutrino so continues to the intersection monopolar current coordinate as the 2π -EMI 3-junction where it meets and merges with a left-handed Majorana Antineutrino which flipped from $R^2G^2B^2[+\frac{1}{2}]$ Majorana Antineutrino at 0° into a $B^2G^2R^2[-\frac{1}{2}]$ Majorana Neutrino at 120° before flipping its color charge permutation cyclicity from anticyclic $B^2G^2R^2$ to cyclic $R^2G^2B^2$ into a $R^2G^2B^2[-\frac{1}{2}]$ Majorana Antineutrino at 180° to complete its unified field Weak-Nuclear matter-antimatter interaction in conjunction with the manifested dark matter agency of the RMP[-1] to create the template for the Higgs Anti-neutrino $R^2G^2B^2[-\frac{1}{2}]+R^2G^2B^2[+\frac{1}{2}] = R^4G^4B^4[0]$.

The Unified Gauge Parameter Field of Quantum Relativity

Primary-Secondary-Tertiary Colour Triplets of the Chromaticity Unities in the UFoQR 1-2-3-4-5-6-7-8-9-10-11-12-13 Anticolours for 8 Gluon Permutations in Energy gravitational E=mc² for B(lack) and Energy radiative E=hf for W(hite) **R+C** and **O+A** and **Y+B** and **L+I** and **G+M** and **T+P** and **C+R** and **A+O** and **B+Y** and **I+L** and **M+G** and **P+T** and **R+C**

Gluon RGB=(RG)B=YB=CR=MG=YB=CR=MG=RGB for: {BBB;BBW;BWB;BWW;WBB;WBW;WWB;WWW} hyperonic triplets and {BB;BW;WB;WW} mesonic doublets

R(ed)-O(range)-Y(ellow)-L(ime)-G(reen)-T(urquoise)-C(yan)-A(quamarine)-B(lue)-I(ndigo)-M(agenta)-P(urple)-R(ed)

RGP RGR RGR BGR RGR RGE RGR BGR DGR BGR MCY MCY 1664 YCM YCM M-660 -420 M780 & v ^Φ V_e across 4π- Nonparity and WNI Loops V_L Matter-Points -030 GI EMT#2 EMT#1 GT#1 EMT#3 GT#2 EMT#4 AM-480 Antimatter-Points AM42 AM 660 LH-PATE-PRODUCTION AND ANTI-NONPARITY WNI-MATTER RH-WNI-ANTIMATTER NONPARITY MATTER LH SPIN ANNTHTLATTON SPIN MATTER MATTER ANTIMATTER SNT SPIN Antineutrinos No and must INDUC INDUC SNI INDUC. available at 3 W-Boson SYMMETRY-LOOP Boso W⁺-Boson Z-Boso GP (+1) GP (-1) Graviphotor Graviton at GI#1 Eps at 3=EMI#3 Ess at GI#2 2-1-2 Matter WNI or 6-7-6 Matter SNI rh (+1) rh|1h GP lhlrh lh (-1) links DM[+1] at $3\pi + \pi/6$ Antimatter is created B²ⁿyⁿy links B2nvnv cannot flip \overline{v}_{μ} [+½] to v_{μ} [+½] \overline{v}_{e} [-½] + \overline{v}_{μ} [+½] = \overline{v}_{Higgs} [0] with $\bar{\boldsymbol{y}}_{e}$ with Vm 53with Matter, but re-DM[-1] at π flips $v_{e}[-\frac{1}{2}]$ to $\overline{v_{e}}[-\frac{1}{2}]$ Z=v+v $Z^{o} = \nabla_{\mu} + \nabla_{e}$ $W = e + \overline{v}_e$ $W^{+}\!\!=\!\!\mu^{+}\!\!+\nu_{\mu}$ quires the presence n(0) s $W = \mu + \overline{\nu}_{\mu}$ $W^{+}=e^{+}+v_{e}^{\mu}$ of existing matter, since the GI-points (RGB)⁴(+1 BGR)²(-%) YCM(+1/2)+(RGB)2(+1/2) MCY(-1/2)+(BGR)²(-1/2) =VPE(0)+GP(are empty - no inter-RGB(+1) + {BGR(+1) + RMP(-1)} + RGB(+1) + BGR(-2) = 0 Eps [Ess-RMP-Higgs Boson] Gluon Graviton son Weak Strong Z U section in loops 7-Strong Weak-Chan W Unification Antigluon BCR(-1)+WWW+(RGB)⁴(+1) $Y^{2}C^{2}M^{2}+R^{4}G^{4}B^{4} = RMP(-1) + \overline{V}_{Higgs}(0)$ Relates Angentam and Liveam Measu R)(-1)+WWW+Ginon RGB(+1) Photon+Graviton+Spininducer Antimatter Suppression RMP = RestMass Photor from existing matter = RGB+BGR+GP=YCM+MCY=YBBY Universal Dark Matter Agent as Consciousness 'Particle' Eps=1/e*=hfps= √{2πG₄m₆²/4αhc.c²} (YCM)²(-1) + Gluon RGB(+1) (YWCWMW)=(YCM+WWW)=Axia (MCY)²(+1) + Antig x=±(15-1) (MWCWYW)=(MCY+WWW)=Antiax Vortex-Potential-Energy = VPE ={1/2c√a} 288.5° RMP(+1) RMP(-1) Y====(1=+1) RMP(+1) RMP(-1) -191.5 10 WNI WNI WNI WNI rhspin lhspin rhspin lhspin 0 ń DM 7 AM DM 1 -280 40 520° AN 680 -440° Ø 200 -360° -120 MA 120° 6009 RMP Suppressed 2[+½]=[+1] DMD. Manifest 8400 7200 2[-1/2]=[-1] For n=1,2,3,4,5 UFoQR(x)=0 $0 = 3x/2 = 90^{\circ} \pm 3x/4 \pm n.360^{\circ}$ AMPLITUDE MAX.=1.760 8 14; 91/4] - (1350°; 990°; 630°; 270°; 90°; 450°; 810°; 1170°; 153 12 $sin(3x/4) = \frac{1}{2}$ 4 -528.59 {x} = {-1800°; -1320°; -840°; -360°; 120°; 600°; 1080°; 1560°; 2040°; 2520° -48.5 431.5 {x} = (-600°; -440°; -280°; -120°; 40°; 200°; 360°; 520°; 680°; 840°) $\sin(3x/2) = \cos(3x/4) = \sin(90^\circ \pm 3x/4)$ AMPLITUDE MIN.=0.369 XPS sin(3x/2) = 2sin(3x/4)cos(3x/4) = cos(3x/4)X= 38 The Roots of the UFoQR=0 as Zero-Points supplementing the Pi-Even EMI and Pi-Odd GI Matter Antineutrino and Antimatter Neutrino Generation Vortices respectively. sink = 7 UFoQR(x)=sin(3x/2)-cos(3x/4) $0 = 3x/2 = 90^\circ \pm 3x/4 \pm n.360^\circ$ For n=1.2.3.4.5 in extended domain EMI →← GI $1440^{\circ} = 12(120^{\circ}) = 20(72^{\circ}) = 40(36^{\circ}) = 60(24^{\circ}) = 80(18^{\circ}) & 360^{\circ} = 5(72^{\circ}) = 10(36^{\circ}) = 15(24^{\circ}) = 20(18^{\circ}) = 30(12^{\circ}) = 10(36^{\circ}) = 15(24^{\circ}) = 20(18^{\circ}) = 30(12^{\circ}) = 10(36^{\circ}) = 10(36^{\circ$

The 12 Junction-Loops of the Unified Field Natural Current Field in Quantum Relativity Extent: $4\lambda_{ps}$ & Amplitude= $\lambda_{ps}/2\pi$

EM(M)I=ElectroMagnetic (Monopolic) Radiation Interaction = Unified Field of QR before spacetime creation {Inflation to Quantum Big Bang} without Gravitational Interaction GI Metaphysical Abstraction of Mathimatia Supersymmetry by Logos Definition in Radiation-Antiradiation Symmetry

0° 180° 360°=0° Möbian-Klein Twosided 11D-Mirror SelfIntersection: RGB(+1)+RGG(-1) → RRGGBB(0) → YCM(0)+YCM(0) → BBGGRR(0)→MCY(0)+MCY(0) → BGR(-1)+BGR(+1)

Eps=RGB(+1) at 0°-----Ess=RGB(-1) at 360°........Eps=BGR(-1) at 180° Inflexion Ess=BGR(+1) Ess=RGB(+1) at 0°------Eps=RGB(+1) at 360°.......Breaking of the metaphysical supersymmetry in quantum spin to allow the birth of the Graviton and matter-antimatter symmetry, suppressing however the matter-antimatter symmetry in the reformulation of antiradiation [Encoded as the retracing of the 'steps of the creator' --Ezekiel.28.13-19; Isaiah.14.12-14]

Unified Field of QR in the 11D-Membrane Inflation, followed by a Quantum Big Bang of Relativistic Thermodynamic Cosmology Physicalisation of the Metaphysical Precursor in an inherent Matter-Antimatter Asymmetry

Möbian-Klein Onesided 10D/12D-Mirror SelfIntersection as the Goldstone Boson Unification of all Interactions in the UFOQR: RGB(+1)+BGR(+1)+BGB(+1)+BGR(-2)+YYCCMM(-1) = EMI Eps-Photon + WNI Ess-Antiphoton + SNI Gluon + Graviton + EMMR-RMP ⇒ MGGM(+2)+MGGM(-1)+YYCCMM(-1) = VPE(+2)+VPE(-1)+YYCCMM(-1) = VPE(+1)+YYCCMM(-1) = EMMR UFOQR Unification

The Ess-Anti-Photon(+1) is suppressed as Goldstone ambassador gauge in spin +1 by The SNI ambassador Gluon and is suppressed in colour charge BGR by the GI gauge ambassador Graviton. The birth of the Graviton demands a net spin of +1 of the Vortex-Potential Energy or VPE/ZPE to become neutralized by the fifth gauge ambassador of the RMP with spin -1 as the gauge ambassador and Goldstone Boson as the primal gauge ambassador for the consciousness energy interaction encompassing all particular constituents in the Unified Field of Quantum Relativity.

Council of Thuban, Saturday, August 15th, 2015

The 'missing' left-handed Anti-neutrino so is integrated or absorbed by the scalar or sterile Higgs Anti-neutrino with a natural suppression of the scalar or sterile Higgs neutrino by the not manifested RMP[+1] and Anti-HB[0] templates in the UfoQR.

 $R^{2}G^{2}B^{2}[+\frac{1}{2}]-\pi \rightarrow B^{2}G^{2}R^{2}[-\frac{1}{2}]-\pi \rightarrow R^{4}G^{4}B^{4}[0] \leftarrow \pi - R^{2}G^{2}B^{2}[+\frac{1}{2}] \leftarrow \pi - B^{2}G^{2}R^{2}[-\frac{1}{2}] \text{ across a } 4\pi \text{ interval.}$

The scalar Higgs-Anti(Neutrino) then is defined in $(R^4G^4B^4)[0]$ and the Tauon Anti(Neutrino) in $(R^6G^6B^6)[\frac{1}{2}]$.

The twinned neutrino state so becomes apparent in a coupling of the scalar Higgs-Neutrino with a massless base neutrino in a $(R^6G^6B^6)[0+\frac{1}{2}]$ mass-induction template.

The Higgs-Neutrino is bosonic and so not subject to the Pauli Exclusion Principle; but quantized in the form of the FG-differential of the 0.0521 Higgs-Restmass Induction.

Subsequently all experimentally observed neutrino-oscillations should show a stepwise energy induction in units of the Higgs-neutrino mass of 0.0521 eV.

This was the case in the Super-Kamiokande experiments; and which was interpreted as a massdifferential between the muonic and tauonic neutrino forms.

$$\begin{split} m_{v\text{Higgs}} + m_{v\text{electron}} &= m_{v\text{Higgs}} + (m_{v\text{Tauon}})^2 \text{ for the 'squared' ground state of a massless base (anti)neutrino for a perturbation Higgsian (anti)neutrino in <math>(m_{v\text{Tauon}})^2 = (m_{v\text{Higgs}} + \Delta)^2 = m_{v\text{Electron}}$$
 for a quadratic $m_{v\text{Higgs}}^2 + 2m_{v\text{Higgs}}\Delta + \Delta^2 = 0.002982 \text{ from } (m_{v\text{Higgs}} + \Delta) = v(m_{v\text{velectron}})$ and for a $\Delta = v(m_{v\text{velectron}}) - m_{v\text{Higgs}} = m_{v\text{Tauon}} - m_{v\text{Higgs}} = 0.0546 \text{ eV} - 0.0521 \text{ eV} = 0.0025 \text{ eV}. \\ m_{v\text{Higgs}} + \Delta = 0.0521 + 0.0025 \text{ e} (m_{v\text{Higgs}}) + (m_{v\text{velectron}}) - 0.00048 \text{ e} m_{v\text{tauon}} = 0.0521 + 0.00298 - 0.00048 \text{ +} \\ \dots &= 0.0546 \text{ eV}^* \text{ as a perturbation expression for the 'squared' scalar Higgs (Anti)Neutrino.} \\ (m_{v\text{Muon}} - m_{v\text{Electron}})\{(m_{v\text{Muon}} + m_{v\text{Electron}}) - (m_{v\text{Muon}} - m_{v\text{Electron}})\} = 2m_{v\text{Electron}}(m_{v\text{Muon}} - m_{v\text{Electron}})^2 \\ \text{ and for } m_{v\text{Muon}}^2 = m_{v\text{Electron}} - m_{v\text{Higgs}}^2 = (0.002982 - 0.00271 = 0.00027) \end{aligned}$

for v(0.00027) = m_{vMuon} = 0.01643 = 5.51 $m_{vElectron}$.

 $\{m_{vMuon}^{2} - m_{vElectron}^{2}\} - m_{vMuon}^{2} + 2m_{vMuon}m_{vElectron} - m_{vElectron}^{2} = 2m_{vMuon}m_{vElectron} - 2m_{vElectron}^{2} = 2m_{vMuon}m_{vElectron} - 2m_{vElectron}^{2}$

= $2mv_{Electron}^2 \{m_{vMuon}/m_{vElectron} - 1\} = 8.892 \times 10^{-6} \{11.02 - 1\} = 8.910 \times 10^{-5}$, approximating the KamLAND 2005 neutrino mass induction value of 7.997.. $\times 10^{-5} eV^2$ obtained for a ratio of $11m_{vElectron} = 2m_{vMuon}$. For 3 (anti)neutrinos then, the cosmological summation lower and upper bounds for (anti)neutrino oscillations are: $0 + m_{velectron-muon} + m_{velectron-tauon} + m_{vmuon-tauon} = 3(0.002982) = 0.00895 eV^*$ or 0.00893 eV [SI] and $3(0.0030 + 0.0546) = 3(0.0576) = 0.1728 eV^*$ or 0.1724 eV [SI] respectively. Inclusion of the scalar Higgs (anti)neutrino as a fourth (anti)neutrino inertial self-state extends this upper boundary by 0.0521 eV* and 0.0520 eV to 0.2249 eV* or 0.2243 eV [SI].

$\sum m_{v} = m_{v Electron} + m_{v Muon} + m_{v Higgs} + m_{v Tauon} = 0.00298..+ 0.0164..+ 0.0521..+ 0.0546.. = 0.1261 \text{ eV}^*$

In terms of the Higgs Mass Induction and so their inertial states, the Neutrinos are their own antiparticles and then Majorana defined; but in terms of their basic magneto charged nature within the Unified Filed of Quantum Relativity, the Neutrinos are different from their Antineutrino antiparticles in their Dirac definition of $R^2G^2B^2[+1/2]$ for the Antineutrinos and in $B^2G^2R^2[-1/2]$ for the Neutrinos.

$$\begin{split} mv_{\text{Higgs}} = m_e \lambda_w.r_E/(2\pi r_M R_e) \{1/r_G - 1/r_F\} &\sim 9.3 \times 10^{-38} \text{ kg or } 0.052 \text{ eV for a scalar blueprint} \\ \text{Antiv}_{\text{Higgs}} = R^4 G^4 B^4 [0] \text{ with anti-state } v_{\text{Higgs}} = B^4 G^4 R^4 [0] \text{ and coupling as the Tauon (Anti) Neutrino as} \\ \text{Antiv}_{\text{tauon}} = R^2 G^2 B^2 [+\frac{1}{2}] + R^4 G^4 B^4 [0] = R^6 G^6 B^6 [+\frac{1}{2}] = \text{Antiv}_{\text{electron}} + \text{Antiv}_{\text{Higgs}} \\ \text{and } v_{\text{tauon}} = B^2 G^2 R^2 [-\frac{1}{2}] + B^4 G^4 R^4 [0] = B^6 G^6 R^6 [-\frac{1}{2}] = v_{\text{electron}} + v_{\text{Higgs}} \end{split}$$

Neutron ⇒ Proton + Electron + Electron AntiNeutrino Basic Neutron Beta-Minus Decay: n^o[-1/2] ⇒ p⁺[-1/2] + \overline{v}_{ρ} [+1/2]

d[-½]u[+½]d[-½](stable in nucleus)⇒ u[+½]d[-½]d[-½](free) ⇒u[+½]d[-½]d*[-½](IR-OR Oscillation) ⇔u[+½]d[-½](u[-½].W^{*}[+1].GP[-1])⇒ u[-½]d[+½]u[-½]+e^{*}[-½]+V_e [+½]⇒ udu[-½]+electron-OR[-½]+ V_e [+½]

 $\begin{array}{l} \text{Muon} \Rightarrow \text{Electron} + \text{Electron AntiNeutrino} + \text{Muon Neutrino} \\ \text{Basic Muon Weak Decay:} & \mu^{-1/2} \Rightarrow e^{-1/2} + \overline{\nu}_e [+1/2] + \nu_\mu [-1/2] \\ \text{OR}^{-1/2} \text{[(free)]} \Rightarrow \text{OR}^{-1/2} \text{[(KKK-OR Oscillation)]} \Rightarrow (\nu_{\mu}.\text{OR}^{-1/2}).(W^{-1}1].\text{GP[-1])} \Rightarrow e^{-1/2} + \nu_e [+1/2] + \nu_\mu [-1/2] \end{array}$

Only lefthanded matter particles and only righthanded antimatter particles participate in the Weak Nuclear Interaction in a fundamental Nonparity between Matter and Antimatter and as a consequence of the magnetocharged gauge interaction particles suppressing any naturally occuring antimatter in a inflationary and 'Big Bang prior' radiationantiradiation grand symmetry 'Goldstone Boson' superstring unification:

RGB/SourceSink Photon(+1)+{BGR/SinkSource Photon(+1)+RestMass Photon(-1)}+RGB/Gluon(+1) +BGR/Graviton(-2)=0 and in coupling to the templates for Matter YCM and Antimatter MCY.

The suppressed SinkSource Photon (Devil/AntiGod Particle) with the 'Dark Matter/Energy Particle' descriptive in the definition of Consciousness/Space Awareness transforms into a Scalar Higgs Gauge Boson to form a recreated Supersymmetry in the Unified Field of Quantum Relativity or UFoQR.

The Gauge Photon RGB(+1) can also be described in the high energy vibratory part Eps of the supermembrane EpsEss with the Gauge Photon BGR(+1) its low energy winded conjugative part Ess.

The Scalar Higgs AntiNeutrino (RGB)⁴[0] + (RGB)²[+¹/₂] creates the Tau AntiNeutrino $\bar{\nu}_{\tau}$ [+¹/₂] in Leptonic Energy Resonance. The Scalar Higgs Neutrino (BGR)⁴[0] + (BGR)²[-¹/₂] creates the Tau Neutrino ν_{τ} [-¹/₂] in Anti-Leptonic Energy Resonance.

 Quantum Spin Conservation in Photon-Matter Interaction via Dark Matter agency of the Higgs Boson HB+RMP Superposition

 HB+AntiRMP superposition:
 YCM[0]+MCY[+1]

 AntiHB+RMP superposition:
 MCY[0]+YCM[-1]

 Via Gravitational Interaction from 5D-Kaluza Klein Graviton-Graviphoton-Graviscalalar spacetime

Pair-Production

High Energy Photon γ[+1](no colour charge) + AntiHB[0](MCY)RMP[-1](YCM) ⊨ (BBYY)[0] ⊨ YCM[-½] + MCY[+½] High Energy Photon γ[-1](no colour charge) + HB[0](YCM)AntiRMP[+1](MCY) ⊨ (BBYY)[0] ⊨ YCM[-½] + MCY[+½]

Photon Emission from Atomic Electron Emission/Transmission

The Universal Quantum Geometric Matter-AntiMatter Template AntiMatter Neutrino Kernel KKK Matter AntiNeutrino Kernel KKK Matter Core KKK = CMY AntiMatter Core KKK = CYM Mesonic Matter Mesonic AntiMatter 1/3 Inner Ring IR Inner Ring IR +1/3 +1/3 1/2 AntiMatter Template CyanYellowMagenta Matter Template CyanMagentaYellow 1/3 1/3 CMY=MYC=YCM CYM=YMC=MCY Red²Green²Blue² Red²Blue²Green² RRBBGG=BBGGRR=GGRRBB RRGGBB=GGBBRR=BBRRGG K=ū-core antiquark K=u-core quark KIR=d-wave quark KIR=d-wave antiquark KOR=s-wave quark KOR=s-wave antiquark Leptonic Matter Leptonic AntiMatter .1/3 +1/3 **Outer Ring OR** Outer Ring OR ElectroCharge 3(-1/3) = -1 for IR & OR ElectroCharge $3(+\frac{1}{3}) = +1$ for $\overline{IR} \& \overline{OR}$ MagnetoCharge RGB = 0 for IR & OR MagnetoCharge BGR = 0 for IR & OR ElectroCharge 3(-7/3) =-2 for Kernel KKK ElectroCharge $3(+\frac{2}{3}) = +2$ for Kernel KKK MagnetoCharge RRGGBB = 0 for Kernel KKK MagnetoCharge BBGGRR = 0 for Kernel KKK MagnetoCharge = ColourCharge = GluonCharge Matter OR Unified Kernel = Gluon for Strong Nuclear Interaction AntiMatter OR In 8 KKK Permutations of the MagnetoCharge: **Outer Ring B Outer Ring W BBB=Black** WWW=White {BBB=Pure massive eigenstate in E=mc² BBW; BWB; WBB; BWW;WBW;WWB; V muon WWW=Pure radiative eigenstate in E=hf} V_{muon} 3-quark content: hyperons-baryons-nucleons And in 4 KK Permutations: +OR +OR {BB; BW; WB; WW} quark-antiquark content: mesons $\overline{v}_{electron}$ velectron Unified Kernel = (Anti)Neutrino for Weak Nuclear Interaction & 0 ElectroCharge Matter Weakon W-minus AntiMatter Weakon W-plus [+] [-] ElectroCharge -1 for OR Anticlockwise Lefthand Clockwise Righthand ElectroCharge +1 for OR Quantum Spin AntiMuon µ⁺or Positron e⁺ Muon µ or Electron e MagnetoCharge = 0 for AntiNeutrino Core MagnetoCharge = 0 for Neutrino Kernel Vortex-Potential-Energy VPE = ZPE $e^{-} + \overline{v}_{electron} = W^{-}[+1] = \mu^{-} + \overline{v}_{muon}$ $e^+ + v_{electron} = W^+[-1] = \mu^+ + v_{muon}$ **OR-Flip** + OR-Flip (Core +OR)VPE \overline{OR} -Flip = $W^{\dagger}[-1] + (U)[+1]$ OR-Flip = $w^{-}[+1] + (0)[-1]$ YCM+YMC=(CM=B)YY(B=MC) BYYB=GMMG=RCCR YBBY=CRRC=MGGM GraviPhoton GraviPhoton RGB+RBG=(GB=C)RR(C=BG)



{Encoded and decoded from Ezekiel.28.13-19 with Isaiah.14.13-14 - masoretic texts}



All truth passes through three stages:

- 1. First, it is ridiculed.
- 2. Second, it is violently opposed.
- 3. Third, it is accepted as being self-evident.

~ Arthur Schopenhauer (1788 - 1860)



Kuhn Cycle



January 16th, 2022